

Notice of Allowability

Application No.

10/802,051

Examiner

Crystal L. Wagner

Applicant(s)

KATOH ET AL.

Art Unit

2852

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 8-24-2005.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material

5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-9 are allowed.
2. The following is an examiner's statement of reasons for allowance: With respect to claim 1, the prior art fails to show an image forming apparatus comprising a first chamber including a first mixer and configured to convey a developer containing at least toner in a first direction while stirring the developer and supply the toner to an image carrier, a second chamber including a second mixer and configured to convey at least the developer supplied from the first chamber in a second direction different from the first direction while stirring the developer, a third chamber including a third mixer and configured to convey at least the developer supplied from the first chamber in the second direction while stirring the developer, a fresh toner supply portion located on an upstream side of the second chamber and configured to receive fresh toner, and a recycle toner supply portion located on an upstream side of the third chamber and configured to receive fresh toner. Regarding claim 8, the prior art fails to show a toner stirring method comprising supplying recycle toner collected from a surface of an image carrier to a recycle toner supply portion, conveying the supplied recycle toner to a merging portion at a first speed while stirring, thereby charging to have a predetermined potential, conveying refresh toner supplied to a fresh toner supply portion at a predetermined timing to the merging portion at a second speed which is slower than the first speed while stirring, thereby charging to have a predetermined potential, and supplying the recycle toner and the fresh toner that have been conveyed to the merging portion to the surface of the image carrier.

Art Unit: 2852

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Ogawa et al. (US 5,734,957) discloses an image forming apparatus with a toner re-use feature where fresh toner from hopper merges with recycled toner collected from the surface of a photosensitive drum.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CW


Michael Tokar
Supervisory Patent Examiner
Technology Center 2800